

SPIDER NOT

SDS Number: 1257790

Revision Date: 6/26/2015

Page 1 of 7

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Apollo Technologies, Inc.
1850 S. Cobb Industrial Boulevard
Smyrna, GA 30082

Vendor

Nott Products Co. Inc
PO Box 975
Coram, NY 11727

Phone: 770-433-0210
Web: <http://www.apolloind.com/>

Phone: 1-631-563-4455
Web: <http://www.nottproducts.com>



Product Name: SPIDER NOT
Revision Date: 6/26/2015
Version: New
SDS Number: 1257790
Common Name: Aerosol Spider Killer
EPA Number: 8848-86-358
Product Use: Aerosol Spider Killer

Emergency Telephone Number: PERS 1-800-633-8253

2 HAZARDS IDENTIFICATION

- Route of Entry:** Eyes - Yes Skin - Yes Inhalation - Yes Ingestion - Unlikely
- Target Organs:** Respiratory system; Skin; Digestive tract; Eyes;
- Inhalation:** Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.
- Skin Contact:** Can cause skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, and drying and cracking of skin, burns and other skin damage
- Eye Contact:** May cause mild eye irritation. Symptoms include stinging, tearing, and redness
- Ingestion:** Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful. This material can get into the lungs during swallowing or vomiting. This may result in lung inflammation and other lung injury

NFPA: Health = 2, Fire = 1, Reactivity = 1
HMIS III: H2/F1/PH1



SPIDER NOT

SDS Number: 1257790

Revision Date: 6/26/2015

Page 2 of 7

GHS Signal Word:
DANGER

GHS Hazard Pictograms:



GHS Classifications:

Health, Acute toxicity, 3 Inhalation
Health, Acute toxicity, 3 Oral
Health, Skin corrosion/irritation, 2
Health, Serious Eye Damage/Eye Irritation, 2 B
Physical, Flammable Aerosols, 1
Environmental, Hazards to the aquatic environment - Acute, 2

GHS Phrases:

H331 - Toxic if inhaled
H301 - Toxic if swallowed
H315 - Causes skin irritation
H320 - Causes eye irritation
H222 - Extremely flammable aerosol
H229 - Pressurized container: may burst if heated
H401 - Toxic to aquatic life

GHS Precautionary Statements:

P102 - Keep out of reach of children.
P103 - Read label before use.
P202 - Do not handle until all safety precautions have been read and understood.
P211 - Do not spray on an open flame or other ignition source.
P243 - Take precautionary measures against static discharge.
P251 - Pressurized container: Do not pierce or burn, even after use.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P271 - Use only outdoors or in a well-ventilated area.
P281 - Use personal protective equipment as required.
P285 - In case of inadequate ventilation wear respiratory protection.
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+350 - IF ON SKIN: Gently wash with soap and water.
P304+312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

P309+311 - IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician.
P332+313 - If skin irritation occurs: Get medical advice/attention.
P371+380+375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

SPIDER NOT

SDS Number: 1257790

Revision Date: 6/26/2015

Page 3 of 7

3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Percentage	Chemical Name
64742-47-8	85-99%	Distillates, petroleum, hydrotreated light
51-03-6	<1%	Piperonyl butoxide
113-48-4	<1%	N-Octyl bicycloheptene dicarboximide
23031-36-9	<1%	ETOC Technical
95-63-6	<1%	1,2,4-Trimethylbenzene
124-38-9	1.0-5.0%	Carbon dioxide (propellant)

4

FIRST AID MEASURES

Inhalation:	If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention.
Skin Contact:	Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.
Eye Contact:	If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.
Ingestion:	Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

5

FIRE FIGHTING MEASURES

Flammability:	Extremely flammable
Flash Point:	>105 C (221 F)
Flash Point Method:	Concentrate
Burning Rate:	Not available.
LEL:	0.5%
UEL:	4.8%

Means of Extinguishment:

Suitable Extinguishing Media: Powder, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).



SDS

Safety Data Sheet

SPIDER NOT

SDS Number: 1257790

Revision Date: 6/26/2015

Page 4 of 7

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

Environmental Precautions: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

7 HANDLING AND STORAGE

Handling Precautions: HARMFUL IF INHALED OR SWALLOWED. VAPOR HARMFUL. EYE, SKIN AND RESPIRATORY IRRITANT. Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas. Keep away from heat, sparks or open flames. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container. Vapors can cause a flash fire.

Storage Requirements: Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container. Store in accordance with NFPA 30B for LEVEL 3 AEROSOL.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Maintain adequate ventilation.
Personal Protective Equip: HMIS PP, B | Safety Glasses, Gloves

INGREDIENTS	EXPOSURE LIMITS		
	OSHA-PEL	ACGIH-TLV	OTHER
Petroleum Distillate	5 mg/m ³	200 mg/m ³	100 ppm (525 mg/m ³) TWA
Piperonyl butoxide	Not Est.	Not Est.	
N-Octyl bicycloheptene dicarboximide	Not Est.	Not Est.	
ETOC Technical	Not Est.	Not Est.	
1,2,4-Trimethylbenzene	Not Est.	25 ppm	
Carbon Dioxide	5000 ppm	5000 ppm	

SPIDER NOT

SDS Number: 1257790

Revision Date: 6/26/2015

Page 5 of 7

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Liquid	Odor:	solvent odor
Physical State:	Mixture packaged in pressurized aerosol sp	Solubility:	Insoluble
Spec Grav./Density:	0.80 - 0.83g/ml	Flash Point:	>105 C (221 F)
Boiling Point:	>150	VOC:	2.0%
Flammability:	Extremely flammable		
Vapor Pressure:	>1		
pH:	N/A		
Evap. Rate:	<1.00		

10 STABILITY AND REACTIVITY

Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Heat, sparks, open flames and temperatures above 120°F Oxidation promoting conditions (Heat, Sunlight and Air).
Materials to Avoid:	Strong oxidizers and strong acids.
Hazardous Decomposition:	CO & CO2
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

ACUTE

DERMAL LD₅₀: > 2.0 gm/kg

Notes: Albino rabbit.

ORAL LD₅₀: 4.74 gm/kg

Notes: Albino rat.

INHALATION LC₅₀: 4.14 mg/L

Notes: Rats exposed for 4 hours to test atmosphere. The Acute Inhalation LC₅₀ of this material places it in EPA Toxic Category IV.

EYE EFFECTS: Irritation clearing by Day 4.

SKIN EFFECTS: Moderate to severe irritation at 72 hours. Irritation Index = 2.92

SENSITIZATION: When applied dermally to albino guinea pigs, this product appears to be a dermal sensitizer.

COMMENTS: None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC,

NTP, OSHA or ACGIH as being carcinogens.

12 ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries,

oceans or other waters, unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing

this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.



SDS

Safety Data Sheet

SPIDER NOT

SDS Number: 1257790

Revision Date: 6/26/2015

Page 6 of 7

13 DISPOSAL CONSIDERATIONS

Do not allow into drains or water sources. Waste and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, weather special waste regulations apply.

14 TRANSPORT INFORMATION

DOT Class: Flammable Gas (2.1) #2.1
UN #: UN 1950, Class: 2, Proper Shipping Name: Aerosols, Flammable

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

-
- *Distillates, petroleum, hydrotreated light (64742478 85-99%) TSCA
 - *Carbon dioxide (propellant) (124389 1-5%) MASS, OSHAWAC, PA, TSCA, TXAIR
 - *Piperonyl butoxide (51036 <1%) SARA313, TSCA
 - *1,2,4-Trimethylbenzene (95636 <1%) MASS, NJHS, PA, SARA313, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

SARA313 = SARA 313 Title III Toxic Chemicals

TSCA = Toxic Substances Control Act

MASS = MA Massachusetts Hazardous Substances List
OSHA = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level

NJHS = NJ Right-to-Know Hazardous Substances

Proposition 65 - California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.



SDS

Safety Data Sheet

SPIDER NOT

SDS Number: 1257790

Revision Date: 6/26/2015

Page 7 of 7

16

OTHER INFORMATION

Author: JB

Publication Date: 6/26/2015

Revision No. 1

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).